

Fwd: Westchester Bus Stop @ SWC Sepulveda &...

Subject: Fwd: Westchester Bus Stop @ SWC Sepulveda & Manchester
From: Donald Duckworth <duckworth.donald@gmail.com>
Date: 01/26/2011 11:41 AM
To: jruhlen916 <jRuhlen916@aol.com>, Nate Kaplan <nate.kaplan@lacity.org>, Miki Payne <miki@hbdrollinger.com>, francois.nion@cbsdecaux.com

What about the "detached" shelter?

----- Forwarded message -----
From: **Gonzalez Guillermo** <guillermo.gonzalez@cbsdecaux.com>
Date: Fri, Dec 17, 2010 at 3:58 PM
Subject: RE: Westchester Bus Stop @ SWC Sepulveda & Manchester
To: Donald Duckworth <duckworth.donald@gmail.com>

Donald:

Attached is the brochure showing our Street Furniture and also two photos of a Detached Shelter which perhaps might be able to fit at this particular bus stop; the two shelters that we have around the corner on Sepulveda are Designer Shelters and are way too big for this sidewalk; questions, please contact me...

Thanks,

Guillermo

From: Donald Duckworth [mailto:duckworth.donald@gmail.com]
Sent: Thursday, December 16, 2010 12:05 PM
To: Gonzalez Guillermo
Subject: Westchester Bus Stop @ SWC Sepulveda & Manchester

Hi Guillermo...

We just got off the telephone. I've corrected the email address I have for you, so this forward should work.

I understand your guidance and would like to have you send your brochure to me at 8929 S. Sepulveda Boulevard, Suite #130 Westchester, CA 90045. That's a good place to start.

I believe that by working together we can produce good results for your company, the City of Los Angeles, and the Westchester Town Center.

I'll look forward to talking with you further. Thank you.

----- Forwarded message -----
From: Mail Delivery Subsystem <mailer-daemon@googlemail.com>
Date: Thu, Dec 16, 2010 at 11:23 AM
Subject: Delivery Status Notification (Failure)
To: duckworth.donald@gmail.com

Delivery to the following recipient failed permanently:

guillermo.gonzalez@jcdcauxna.com

Technical details of permanent failure:
Google tried to deliver your message, but it was rejected by the recipient domain. We recommend contacting the other email provider for further information about the cause of this error. The error that the other server returned was: 550 550 5.4.1
guillermo.gonzalez@jcdcauxna.com: Recipient address rejected: Access Denied (state 14).

----- Original message -----

MIME-Version: 1.0
Received: by 10.216.165.85 with SMTP id d63mr80918wel.12.1292527379425; Thu, 16 Dec 2010 11:22:59 -0800 (PST)
Received: by 10.216.86.14 with HTTP; Thu, 16 Dec 2010 11:22:59 -0800 (PST)
Date: Thu, 16 Dec 2010 11:22:59 -0800
Message-ID: <AANLkTimw3BpVXC-rYrzjQcvn5vFdiXHKP2Qr6pJsPxO@mail.gmail.com>
Subject: Decaux Facilities - Westchester
From: Donald Duckworth <duckworth.donald@gmail.com>
To: guillermo.gonzalez@jcdcauxna.com
Content-Type: multipart/alternative; boundary="0016e6469722502a3d04978bf51"

I just left a telephone message about the Westchester Town Center area. We have worked together to install Decaux facilities at various bus stops in the past. I'm the Executive Director of the Westchester Town Center BID. I'd like to talk with you about a new location - the SWC of Manchester and Sepulveda - that really needs some help.

I'd like to explore the feasibility of the BID working with you to design and install a customized installation at this location. How would we go about that? Are you the right person for me to be talking to? We would appreciate any help you can provide.

Thank you Guillermo.

The information contained in this message is confidential and intended exclusively for the individual(s) named above.

If you are not the intended recipient, you are hereby notified that any review, use, copying, dissemination, or disclosure or duplication of this message is strictly prohibited and may result in legal proceedings being taken against you.

If you have received this message in error, please notify the sender immediately by replying to their message and then delete it from your computer and destroy all copies (if any) of the original message.

Any views or opinions presented in this message or attachments to this message are those of the author and do not necessarily represent those of the Company.

WL2225-03.jpg



WL2225-02.jpg



Attachments:

WL2225-03.jpg	53.2 KB
WL2225-02.jpg	52.6 KB
Brochure 12-4-07 DecauxMarketProfile.pdf	2.4 MB